## Flexi A50





Main Office, R&D and Logistics Avenida do Polo 3, nº159, 4590-137 Carvalhosa Paços de Ferreira - Portugal Tlm . +351 917 851 019

Office 2

Rua Quinta do Bom Retiro nº16, Armazém 9 2820-690 Charneca da Caparica - Portugal Tel . +351 212 964 100 Fax . +351 212 964 101 E-mail . info@vicoustic.com

> Vicoustic USA 5701 Sixth Avenue South, Suite 229 Seattle, WA 98108 Tel. (206) 767-2020 E-mail. info@vicousticusa.com

> > www.vicousticusa.com

With its revolutionary design, Vicoustic's Flexi Panel A50 is truly effective when applied in any type of space. A scientific combination of material, absorption surface and cavity thickness means that the panel's absorption performance is extremely efficient in the treatment of 1st reflections.

Flexi Panel A50 offers you the best performance on medium and high frequencies.


Commonly applied in particularly demanding rooms such as recording or broadcast studios, the panel provides one of the best acoustic solutions on the market, at an attractive price. It also has a unique characteristic - when placed in a sequence the panel junctions become undetectable, allowing you to hide cables in the cavities.

- Innovative design

- High acoustic performance
- Easy to install
- Versatile
- Unique Vicoustic technology

## Applications:

Conference and Teleconference Rooms, Home Theatres, Recording and Broadcast Studios, Post Production Studios, Rehearsal Rooms, Public Spaces, Auditoriums, Performance Spaces, etc.



Main Info

Ref: B00019 EAN13: 5600217588114 HS-Code: 39211310 Dimensions: 600.0 x 600.0 x 50.0 mm



## Flexi A50



Scratch Resistance: No Washable: No

- PerformanceFunctionality: Absorption<br/>Absorption Frequency: High<br/>alpha with Shape Indicators: 0.6<br/>NRC: 0.600Fire Class European (EN): Euroclass F
- ShippingUnits Per Box: 12 boxes<br/>Box Dimensions: 630.0 x 630.0 x 620.0 mm<br/>Box Weight: 6.3 kg
- Row Materials Material: Foam Foam Type: M1
- Design Edges: Angled
- Installation Place: Wall, Ceiling Fixing Type: Glued

