

ARIUS

YDP-163 YDP-143

Owner's Manual

Before using the instrument, be sure to read "PRECAUTIONS" on pages 5-7. For information on assembling the instrument, refer to the instructions at the end of this manual.

Important Notice: Guarantee Information for customers in European **Economic Area (EEA) and Switzerland**

Important Notice: Guarantee Information for customers in FFA* and Switzerland

English

For detailed guarantee information about this Yamaha product, and Pan-EEA* and Switzerland, warranty service, please either visit the website address below (Printable file is available at our website) or contact the Yamaha representative office for your country. * EEA: European Economic Area

Wichtiger Hinweis: Garantie-Information für Kunden in der EWR* und der Schweiz

Für nähere Garantie-Information über dieses Produkt von Yamaha, sowie über den Pan-EWR*- und Schweizer Garantieservice, besuchen Sie bitte entweder die folgend angegebene Internetadresse (eine druckfähige Version befindet sich auch auf unserer Webseite), oder wenden Sie sich an den für Ihr Land zuständigen Yamaha-Vertrieb. *EWR: Europäischer Wirtschaftsraum

Remarque importante: informations de garantie pour les clients de l'EEE et la Suisse

our des informations plus détaillées sur la garantie de ce produit Yamaha et sur le service de garantie applicable dans l'ensemble de l'EEE ainsi qu'en Suisse, consultez notre site Web à l'adresse ci-dessous (le fichier imprimable est disponible sur notre site Web) ou contactez directement Yamaha dans votre pays de résidence. * EEE : Espace Economique Européen

Belangrijke mededeling: Garantie-informatie voor klanten in de EER* en Zwitserland

Voor gedetailleerde garantie-informatie over dit Yamaha-product en de garantieservice in heel de EER* en Zwitserland, gaat u naar de onderstaande website (u vind een afdrukbaar bestand op onze website) of neemt u contact op met de vertegenwoordiging van Yamaha in uw land. * EER: Europese Economische Ruimte

Aviso importante: información sobre la garantía para los clientes del EEE* y Suiza

Español

Para una información detallada sobre este producto Yamaha y sobre el soporte de garantía en la zona EEE* y Suiza, visite la dirección web que se incluye más abajo (la version del archivo para imprimir esta disponible en nuestro sitio web) o póngase en contacto con el representante de Yamaha en su país. * EEE: Espacio Económico Europeo

Avviso importante: informazioni sulla garanzia per i clienti residenti nell'EEA* e in Svizzera

Per informazioni dettagliate sulla garanzia relativa a questo prodotto Yamaha e l'assistenza in garanzia nei paesi EEA* e in Svizzera, potete consultare il sito Web all'indirizzo riportato di seguito (è disponibile il file in formato stampabile) oppure contattare l'ufficio di rappresentanza locale della Yamaha. * EEA: Area Economica Europea

Aviso importante: informações sobre as garantias para clientes da AEE* e da Suíca

Para obter uma informação pormenorizada sobre este produto da Yamaha e sobre o serviço de garantia na AEE* e na Suíça, visite o site a seguir (o arquivo para impressão está disponível no nosso site) ou entre em contato com o escritório de representação da Yamaha no seu país. * AEE: Área Econômica Européia

Σημαντική σημείωση: Πληροφορίες εγγύησης για τους πελάτες στον ΕΟΧ* και Ελβετία

Για λεπτομερείς πληροφορίες εγγύησης σχετικά με το παρόν προϊόν της Yamaha και την κάλυψη εγγύησης σε όλες τις χώρες του ΕΟΧ και την Ελβετία, επισκεφτείτε την παρακάτω ιστοσελίδα (Εκτυπώσιμη μορφή είναι διαθέσιμη στην ιστοσελίδα μας) ή απευθυνθείτε στην αντιπροσωπεία της Yamaha στη χώρα σας. * ΕΟΧ: Ευρωπαϊκός Οικονομικός Χώρος

Viktigt: Garantiinformation för kunder i EES-området* och Schweiz

För detaljerad information om denna Yamahaprodukt samt garantiservice i hela EES-området* och Schweiz kan du antingen besöka nedanstående webbaddress (en utskriftsvänlig fil finns på webbplatsen) eller kontakta Yamahas officiella representant i ditt land. * EES: Europeiska Ekonomiska Samarbetsområdet

Viktig merknad: Garantiinformasjon for kunder i EØS* og Sveits

Detailjert garantiinformasjon om dette Yamaha-produktet og garantiservice for hele EØS-området* og Sveits kan fås enten ved å besøke nettadressen nedenfor (utskriftsversjon finnes på våre nettsider) eller kontakte kontakte Yamaha-kontoret i landet der du bor. *EØS: Det europeiske økonomiske samarbeidsområdet

Vigtig oplysning: Garantioplysninger til kunder i EØO* og Schweiz

De kan finde detaljerede garantioplysninger om dette Yamaha-produkt og den fælles garantiserviceordning for EØO* (og Schweiz) ved at besøge det websted, der er angivet nedenfor (der findes en fil, som kan udskrives, på vores websted), eller ved at kontakte Yamahas nationale repræsentationskontor i det land, hvor De bor. * EØO: Det Europæiske Økonomiske Område

Tärkeä ilmoitus: Takuutiedot Euroopan talousalueen (ETA)* ja Sveitsin asiakkaille

Tämän Yamaha-tuotteen sekä ETA-alueen ja Sveitsin takuuta koskevat yksityiskohtaiset tiedot saatte alla olevasta nettiosoitteesta. (Tulostettava tiedosto saatavissa sivustollamme.) Voitte myös ottaa yhteyttä paikalliseen Yamaha-edustajaan. *ETA: Euroopan talousalue

Ważne: Warunki gwarancyjne obowiązujące w EOG* i Szwajcarii

Aby dowiedzieć się więcej na temat warunków gwarancyjnych tego produktu firmy Yamaha i serwisu gwarancyjnego w całym EOG* i Szwajcarii, należy odwiedzić wskazaną poniżej stronę internetową (Plik gotowy do wydruku znajduje się na naszej stronie internetowej) lub skontaktować się z przedstawicielstwem firmy Yamaha w swoim kraju. * EOG — Europejski Obszar Gospodarczy

Důležité oznámení: Záruční informace pro zákazníky v EHS* a ve Švýcarsku Podrobné záruční informace o tomto produktu Yamaha a záručním servisu v celém EHS* a ve Švýcarsku naleznete na níže uvedené webové adrese (soubor k tisku je dostupný na naších webových stránkách) nebo se můžete obrátit na zastoupení firmy Yamaha ve své zemi. * EHS: Evropský hospodářský prostor

Fontos figyelmeztetés: Garancia-információk az EGT* területén és Syáicban élő vásárlók számára

A jelen Yamaha termékre vonatkozó részletes garancia-információk, valamint az EGT*-re és Svájcra kiterjedő garanciális szolgáltatás tekintetében keresse fel webhelyünket az alábbi címen (a webhelyen nyomtatható fájlt is talál), vagy pedig lépjen kapcsolatba az országában működő Yamaha képviseleti irodával. * EGT: Európai Gazdasági Térség

Oluline märkus: Garantiiteave Euroopa Majanduspiirkonna (EMP)* ja Šveitsi klientidele

Täpsema teabe saamiseks selle Yamaha toote garantii ning kogu Euroopa Majanduspiirkonna ja Šveitsi garantiiteeninduse kohta, külastage palun veebisaiti alljärgneval aadressil (meie saidil on saadaval prinditav fail) või pöörduge Teie regiooni Yamaha esinduse poole. * EMP: Euroopa Majanduspiirkond

Svarīgs paziņojums: garantijas informācija klientiem EEZ* un Šveicē

Lai saņemtu detalizētu garantijas informāciju par šo Yamaha produktu, kā arī garantijas apkalpošanu EEZ* un Šveicē, lūdzu, apmeklējiet zemāk norādīto tīmekļa vietnes adresi (tīmekļa vietnē ir pieejams drukājams fails) vai sazinieties ar jūsu valsti apkalpojošo Yamaha pārstāvniecību. * EEZ: Eiropas Ekonomikas zona

Démesio: informacija del garantijos pirkėjams EEE* ir Šveicarijoje

Jei reikia išsamios informacijos apie šį "Yamaha" produktą ir jo techninę priežiūrą visoje EEE* ir Šveicarijoje, apsilankykite mūsų svetainėje toliau nurodytu adresu (svetainėje yra spausdintinas failas) arba kreipkitės į "Yamaha" atstovybę savo šaliai. *EEE – Europos ekonominė erdvė

Dôležité upozornenie: Informácie o záruke pre zákazníkov v EHP* a Švaičiarsku

Podrobné informácie o záruke týkajúce sa tohto produktu od spoločnosti Yamaha a garančnom servise v EHP* a Švajčiarsku nájdete na webovej stránke uvedenej nižšie (na našej webovej stránke je k dispozícii súbor na tlač) alebo sa obráťte na zástupcu spoločnosti Yamaha vo svojej krajine. * EHP: Európsky hospodársky priestor

Pomembno obvestilo: Informacije o garanciji za kupce v EGP* in Švici

Slovenščina

Za podrobnejše informacije o tem Yamahinem izdelku ter garancijskem servisu v celotnem EGP in Švici, obiščite spletno mesto, ki je navedeno spodaj (natisljiva datoteka je na voljo na našem spletnem mestu), ali se obrnite na Yamahinega predstavnika v svoji državi. * EGP: Evropski gospodarski prostor

Важно съобщение: Информация за гаранцията за клиенти в ЕИП* и Швейцария

За подробна информация за гаранцията за този продукт на Yamaha и гаранционното обслужване в паневропейската зона на ЕИП* и Швейцария или посетете посочения по-долу уеб сайт (на нашия уеб сайт има файл за печат), или се свържете с представителния офис на Yamaha във вашата страна. * ЕИП: Европейско икономическо пространство

Notificare importantă: Informații despre garanție pentru clienții din SEE* și Elveția

Pentru informatjii detaliate privind acest produs Yamaha şi serviciul de garantje Pan-SEE* şi Elvetja, vizitatj site-ul la adresa de mai jos (fişierul imprimabil este disponibil pe site-ul nostru) sau contactaţi biroul reprezentanţei Yamaha din ţara dumneavoastră . * SEE: Spaţiul Economic European

http://europe.yamaha.com/warranty/

URL 4

OBSERVERA!

Apparaten kopplas inte ur växelströmskällan (nätet) så länge som den ar ansluten till vägguttaget, även om själva apparaten har stängts av.

ADVARSEL: Netspændingen til dette apparat er IKKE afbrudt, sålænge netledningen sidder i en stikkontakt, som er tændt — også selvom der er slukket på apparatets afbryder.

VAROITUS: Laitteen toisiopiiriin kytketty käyttökytkin ei irroita koko laitetta verkosta.

(standby)

IMPORTANT NOTICE FOR THE UNITED KINGDOM

Connecting the Plug and Cord

IMPORTANT. The wires in this mains lead are coloured in accordance with the following code:

BLUE : NEU : LIVE BROWN

As the colours of the wires in the mains lead of this apparatus may not correspond with the coloured makings identifying the terminals in your plug proceed as follows:

The wire which is coloured BLUE must be connected to the terminal which is marked with the letter N or coloured BLACK.

The wire which is coloured BROWN must be connected to the terminal which is marked with the letter L or coloured


Making sure that neither core is connected to the earth terminal of the three pin plug.

(2 wires)

For YDP-163/YDP-143 and AC adaptor

Information for Users on Collection and Disposal of Old Equipment





For proper treatment, recovery and recycling of old products, please take them to applicable collection points, in accordance with your national legislation and the Directives 2002/96/EC.

By disposing of these products correctly, you will help to save valuable resources and prevent any potential negative effects on human health and the environment which could otherwise arise from inappropriate waste handling.

For more information about collection and recycling of old products, please contact your local municipality, your waste disposal service or the point of sale where you purchased the items.

[For business users in the European Union]

If you wish to discard electrical and electronic equipment, please contact your dealer or supplier for further information.

[Information on Disposal in other Countries outside the European Union]

This symbol is only valid in the European Union. If you wish to discard these items, please contact your local authorities or dealer and ask for the correct method of disposal.

(weee_eu_en_01)

PRECAUTIONS

PLEASE READ CAREFULLY BEFORE PROCEEDING

Please keep this manual in a safe and handy place for future reference.

For AC adaptor



WARNING

- This AC adaptor is designed for use with only Yamaha electronic instruments. Do not use for any other purpose.
- . Indoor use only. Do not use in any wet environments.



CAUTION

When setting up, make sure that the AC outlet is easily accessible. If some
trouble or malfunction occurs, immediately turn off the power switch of the
instrument and disconnect the AC adaptor from the outlet. When the AC adaptor
is connected to the AC outlet, keep in mind that electricity is flowing at the
minimum level, even if the power switch is turned off. When you are not using
the instrument for a long time, make sure to unplug the power cord from the wall
AC outlet.

For YDP-163/YDP-143



WARNING

Always follow the basic precautions listed below to avoid the possibility of serious injury or even death from electrical shock, short-circuiting, damages, fire or other hazards. These precautions include, but are not limited to, the following:

Power supply/AC adaptor

- Do not place the power cord near heat sources such as heaters or radiators. Also, do not excessively bend or otherwise damage the cord, or place heavy objects on it.
- Only use the voltage specified as correct for the instrument. The required voltage is printed on the name plate of the instrument.
- Use the specified adaptor (page 34) only. Using the wrong adaptor can result in damage to the instrument or overheating.
- Check the electric plug periodically and remove any dirt or dust which may have accumulated on it.

Do not open

This instrument contains no user-serviceable parts. Do not open the instrument
or attempt to disassemble or modify the internal components in any way. If it
should appear to be malfunctioning, discontinue use immediately and have it
inspected by qualified Yamaha service personnel.

Water warning

- Do not expose the instrument to rain, use it near water or in damp or wet
 conditions, or place on it any containers (such as vases, bottles or glasses)
 containing liquids which might spill into any openings. If any liquid such as
 water seeps into the instrument, turn off the power immediately and unplug the
 power cord from the AC outlet. Then have the instrument inspected by qualified
 Yamaha service personnel.
- · Never insert or remove an electric plug with wet hands.

Fire warning

Do not put burning items, such as candles, on the unit. A burning item may fall
over and cause a fire.

If you notice any abnormality

- When one of the following problems occur, immediately turn off the power switch
 and disconnect the electric plug from the outlet. Then have the device inspected
 by Yamaha service personnel.
 - The power cord or plug becomes frayed or damaged.
 - It emits unusual smells or smoke.
 - Some object has been dropped into the instrument.
 - There is a sudden loss of sound during use of the instrument.



Always follow the basic precautions listed below to avoid the possibility of physical injury to you or others, or damage to the instrument or other property. These precautions include, but are not limited to, the following:

Power supply/AC adaptor

- Do not connect the instrument to an electrical outlet using a multiple-connector. Doing so can result in lower sound quality, or possibly cause overheating in the
- When removing the electric plug from the instrument or an outlet, always hold the plug itself and not the cord. Pulling by the cord can damage it.
- Remove the electric plug from the outlet when the instrument is not to be used for extended periods of time, or during electrical storms.

Assembly

Read carefully the attached documentation explaining the assembly process. Failure to assemble the instrument in the proper sequence might result in damage to the instrument or even injury.

Location

- Do not place the instrument in an unstable position where it might accidentally fall over.
- When transporting or moving the instrument, always use two or more people. Attempting to lift the instrument by yourself may damage your back, result in other injury, or cause damage to the instrument itself.
- Before moving the instrument, remove all connected cables, to prevent damage to the cables or injury to anyone who might trip over them.
- When setting up the product, make sure that the AC outlet you are using is easily accessible. If some trouble or malfunction occurs, immediately turn off the power switch and disconnect the plug from the outlet. Even when the power switch is turned off, electricity is still flowing to the product at the minimum level. When you are not using the product for a long time, make sure to unplug the power cord from the wall AC outlet.
- Use only the stand specified for the instrument. When attaching it, use the provided screws only. Failure to do so could cause damage to the internal components or result in the instrument falling over.

Connections

- Before connecting the instrument to other electronic components, turn off the power for all components. Before turning the power on or off for all components, set all volume levels to minimum.
- Be sure to set the volumes of all components at their minimum levels and gradually raise the volume controls while playing the instrument to set the desired listening level.

Handling caution

- Do not insert a finger or hand in any gaps on the key cover or instrument. Also take care that the key cover does not pinch your finger.
- Never insert or drop paper, metallic, or other objects into the gaps on the key cover, panel or keyboard. This could cause physical injury to you or others. damage to the instrument or other property, or operational failure.
- Do not rest your weight on, or place heavy objects on the instrument, and do not use excessive force on the buttons, switches or connectors
- Do not use the instrument/device or headphones for a long period of time at a high or uncomfortable volume level, since this can cause permanent hearing loss. If you experience any hearing loss or ringing in the ears, consult a physician.

Using the bench (If included)

- Do not place the bench in an unstable position where it might accidentally fall over.
- Do not play carelessly with or stand on the bench. Using it as a tool or stepladder or for any other purpose might result in accident or injury.
- Only one person should sit on the bench at a time, in order to prevent the possibility of accident or injury.
- If the bench screws become loose due to extensive long-term use, tighten them periodically using the included tool.
- Keep special watch over any small children so that they don't fall off the rear of the bench. Since the bench does not have a backrest, unsupervised use may result in accident or injury.

Yamaha cannot be held responsible for damage caused by improper use or modifications to the instrument, or data that is lost or destroyed.

Always turn the power off when the instrument is not in use.

Even when the [d] (Standby/On) switch is in standby status (power lamp is off), electricity is still flowing to the instrument at the minimum level.

When you are not using the instrument for a long time, make sure you unplug the power cord from the wall AC outlet.

The model number, serial number, power requirements, etc., may be found on or near the name plate, which is at the bottom of the unit. You should note this serial number in the space provided below and retain this manual as a permanent record of your purchase to aid identification in the event of theft.

Model No. Serial No.



(bottom_en_01) The name plate is located on the bottom of the unit.

NOTICE

To avoid the possibility of malfunction/ damage to the product, damage to data, or damage to other property, follow the notices below.

■ Handling

- Do not use the instrument in the vicinity of a TV, radio, stereo equipment, mobile phone, or other electric devices. Otherwise, the instrument, TV, or radio may generate noise. When you use the instrument along with an application on your iPad, iPhone or iPod touch, we recommend that you set "Airplane Mode" to "ON" on that device in order to avoid noise caused by communication.
- Do not expose the instrument to excessive dust or vibrations, or extreme cold or heat (such as in direct sunlight, near a heater, or in a car during the day) to prevent the possibility of panel disfiguration, damage to the internal components or unstable operation. (Verified operating temperature range: 5° - 40°C, or 41° - 104°F.)
- Do not place vinyl, plastic or rubber objects on the instrument, since this might discolor the panel or keyboard.

■ Maintenance

- When cleaning the instrument, use a soft and dry/slightly damp cloth. Do not use paint thinners, solvents, alcohol, cleaning fluids, or chemical-impregnated wiping cloths.
- · During extreme changes in temperature or humidity, condensation may occur and water may collect on the surface of the instrument. If water is left, the wooden parts may absorb the water and be damaged. Make sure to wipe any water off immediately with a soft cloth.

■ Saving data

• Some of the data of this instrument (page 28) are retained when the power is turned off. However, the saved data may be lost due to some failure, an operation mistake, etc. Save your important data onto an external device such as a computer (page 28).

Information

■ About copyrights

- · Copying of the commercially available musical data including but not limited to MIDI data and/or audio data is strictly prohibited except for your personal use.
- This product incorporates and bundles contents in which Yamaha owns copyrights or with respect to which Yamaha has license to use others' copyrights. Due to copyright laws and other relevant laws, you are NOT allowed to distribute media in which these contents are saved or recorded and remain virtually the same or very similar to those in the product.
 - * The contents described above include a computer program, Accompaniment Style data, MIDI data, WAVE data, voice recording data, a score, score data, etc.
- * You are allowed to distribute medium in which your performance or music production using these contents is recorded, and the permission of Yamaha Corporation is not required in such cases.

About functions/data bundled with the instrument

· Some of the preset songs have been edited for length or arrangement, and may not be exactly the same as the original.

■ About this manual

- The illustrations as shown in this manual are for instructional purposes only, and may appear somewhat different from those on your instrument.
- iPhone, iPad and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.
- The company names and product names in this manual are the trademarks or registered trademarks of their respective companies.

■ Tuning

• Unlike an acoustic piano, this instrument does not need to be tuned by an expert (although the pitch can be useradjusted to match other instruments). This is because the pitch of digital instruments is always maintained perfectly.

Table of Contents

PRECAUTIONS5
About the Manuals9
Included Accessories9
Panel Controls and Terminals10
Basic Operations
Setting Up11
Key Cover11
Music Rest11
Turning the Power On12
Setting the Volume12
Auto Power Off Function
Using Headphones
Playing the Piano14
Intelligent Acoustic Control (IAC)14
Using the Pedals15
Using the Damper Resonance15
Setting the Operation Confirmation Sounds16
Changing the Touch Sensitivity16
Using the Metronome17
Advanced Operations
Playing Various Musical Instrument
Sounds (Voices)18
Selecting a Voice
Listening to the Demo Songs
Adding Variations to the Sound (Reverb)20
Transposing the Pitch in Semitones21
Fine-tuning the Pitch
Layering Two Voices (Dual mode)22
Playing Duo23
Song Playback and Practice24
Listening to 50 Preset Songs24
Practicing a One-Hand Part25
Playing from the Beginning of a Measure that
Includes Rest or Silence

Recording Your Performance26
Recording Your Performance26
Changing the Initial Settings of the Recorded Song
27
Deleting Recorded Data27
Backing up Data and Initializing the
Settings28
Data Maintained When Power is Turned Off 28
Saving User Song data to a computer28
Transferring SMF Files Between a Computer and
this Instrument28
Initializing the Settings28
A 1.
Appendix
Troubleshooting29
_
Keyboard Stand Assembly30
Specifications34
Index35

Thank you for choosing the Yamaha digital piano.

In order to make the most of the performance potential and features of the instrument, please read the manuals thoroughly, and keep them in a handy place for later reference.

About the Manuals

This instrument has the following manuals.

■ Included Manuals



Owner's Manual (this book)

Explains how to use the instrument.



Quick Operation Guide (separate sheet)

Shows in chart form the functions assigned to the buttons and the keyboard for quick understanding.

■ Online Manuals (PDF)



iPhone/iPad Connection Manual

Explains how to connect the instrument to a smart device, such as iPhone, iPad.



Computer-related Operations

Includes instructions on connecting this instrument to a computer, and operations related to transferring song data.



MIDI Reference

Contains the MIDI Data Format and MIDI Implementation chart, as well as descriptions on MIDI functions such as MIDI channel and Local Control settings.



MIDI Basics (only in English, French and German)

Contains basic explanations about MIDI.

To obtain these materials, access the Yamaha Downloads website, then enter the model name for searching the desired files.

Yamaha Downloads

http://download.yamaha.com/

Included Accessories

- Owner's Manual (this book)
- Quick Operation Guide (separate sheet)
- "50 Greats for the Piano" (music book)
- Online Member Product Registration*1
- Warrantv*2
- AC adaptor*2
- Power cord*2 (YDP-163 only)
- Bench*2
- *1 You will need the PRODUCT ID on the sheet in order to fill out the User Registration form.
- *2 May not be included depending on your particular area. Please check with your Yamaha dealer.

Smart device application


- Digital Piano Controller

With the specially developed Digital Piano Controller app running on your iPhone, iPad, or iPod touch, you can remotely control your digital piano for even more convenience and flexibility. By presenting various parameters on-screen, this app allows you to make settings in a visual, more intuitive manner. For more details on Digital Piano Controller, refer to the following Yamaha web site. http://yamaha.com/kbdapps/

For instructions on connecting the instrument to a smart-device, refer to the "iPhone/iPad Connection Manual."

Panel Controls and Terminals

The illustrations are taken from the YDP-143.



- **1** [७] (Standby/On) switch...... page 12 For turning the power on or setting to standby.
- 2 [MASTER VOLUME] knob page 12 For adjusting the volume of the entire sound.
- **③** [DEMO/SONG] button......pages 19, 24 For playing the Demo Songs and the Preset Songs.
- **4** [PIANO/VOICE] button..... pages 18, 20, 22 For selecting a single Voice, two Voices for layering or a Reverb Type.
- **6** [METRONOME] button page 17 For starting or stopping the metronome.
- **6** [+R], [-L] buttons pages 17, 18, 24, 25
 - · In general, these are for selecting the next or previous Voice.
 - During Song playback, these are for selecting the next or previous Song, and (while holding down [PLAY]) turning on/off the right-hand and lefthand Parts individually.
 - · During Metronome playback, these are for increasing or decreasing the Tempo.
- 7 [REC] button page 26 For recording your keyboard performance.
- **6** [PLAY] button......page 26 For playing back the recorded performance.

- **9** [FUNCTION] pages 16, 21 Simultaneously holding both [DEMO/SONG] and [PIANO/VOICE] and pressing a specified key allows you to change various settings, including MIDI, Transpose parameters, etc.
- For connecting a set of standard stereo headphones.
- **1** [USB TO HOST] terminal

For connecting to a computer or a smart device such as iPhone or iPad. Refer to the online manual "Computer-related Operations" for connection to a computer. For instructions on using MIDI, refer to the online manual "MIDI Reference" (page 9).

NOTICE

Use an AB type USB cable of less than 3 meters. USB 3.0 cables cannot be used.

- **②** [TO PEDAL] jack page 32 For connecting the pedal cord.
- **1** DC IN jack...... page 12 For connecting the AC adaptor.
- Pedals page 15 For controlling expression and sustain, just as on an acoustic piano.

Setting Up


Key Cover

To open the key cover:

Lift the cover slightly, then push and slide it to the end.

To close the key cover:

Slide the cover toward you and gently lower the cover over the keys.




⚠ CAUTION

- Hold the cover with both hands when opening or closing it. Do not release it until it is fully opened or closed. Be careful to avoid catching fingers (yours or others, especially children's) between the cover and main unit.
- Do not place objects, such as a piece of metal or paper, on top of the key cover. Small objects placed on the key cover may fall inside the unit when the cover is opened and may be nearly impossible to remove. This could cause electric shock, short circuit, fire or other serious damage to the instrument


Music Rest

To raise the music rest:



- 1. Pull the music rest up and toward vourself as far as it will go.
- 2. Flip down the two metal supports at the left and right on the rear of the music
- 3. Lower the music rest so that it rests on the metal supports.

To lower the music rest:



- 1. Pull the music rest toward yourself as far as it will go.
- 2. Raise the two metal supports (at the rear of the music rest).
- 3. Gently lower the music rest backward until it is all the way down.


∕!\ CAUTION

Do not try to use the music rest in a half-raised position. When lowering the music rest, do not release your hands from the music rest until it is all the way down.


Turning the Power On

$oldsymbol{1}$. Connect the plugs of the AC adaptor in the order shown in the illustration.

YDP-163



YDP-143



The shape of the plug and outlet differ depending on the locale.

/!\ WARNING

Use the specified adaptor (page 34) only. The use of other adaptors may result in irreparable damage to both the adaptor and the instrument.

∠!\ CAUTION


Remove the AC plug from the AC outlet when the instrument is not to be used for extended periods of time, or during electrical storms.

NOTE

Follow this procedure in reverse order when disconnecting the AC adaptor.

For the Power Adaptor with a Removable Plug

Do not remove the plug from the power adaptor. If the plug is removed accidentally, slide the plug into place without touching the metallic parts, and then push the plug in completely until it clicks.




The shape of the plug and outlet differ depending on the locale.

/!\ WARNING

- Make sure to keep the plug attached to the AC adaptor. Using the plug alone can cause electric shock or fire.
- Never touch the metallic section when attaching the plug. To avoid electric shock, short circuit or damage, also be careful that there is no dust between the AC adaptor and

2. Press the [\emptyset] (Standby/On) switch to turn the power on.



Power indicator

If you close the key cover without turning the power to standby, the power indicator remains lit, indicating that the power is still on.

When you're ready to turn the power to standby, press the [\emptyset] (Standby/On) switch again for a second. The power indicator turns off.

∕!\ CAUTION

Even when the [0] (Standby/On) switch is in the standby status, electricity is still flowing to the instrument at a minimum level. When not using the instrument for an extended period of time, be sure to unplug the power cord from the wall AC outlet.

Setting the Volume

When you start playing, use the [MASTER VOLUME] knob to adjust the volume of the entire keyboard sound.



CAUTION

Do not use this instrument at a high volume level for a long period of time, to avoid damaging your hearing.

Auto Power Off Function

To prevent unnecessary power consumption, this instrument features an Auto Power Off function that automatically turns the power off if the instrument is not operated for approximately 30 minutes. If you do not want to use the Auto Power Off function, disable the function as described below. The setting (disabled or enabled) is retained even if the power is turned off.


Default setting:

Enabled

Disabling the Auto Power Off function


When the instrument is turned off

While holding down the A-1 key (the lowest key). press the [6] (Standby/On) to turn the instrument on. The [REC] indicator flashes three times, indicating the Auto Power Off function has been disabled.




When the instrument is turned on

While holding down [DEMO/SONG] and [PIANO/VOICE] simultaneously, press the A#5 key.




Enabling the Auto Power Off function

While holding down [DEMO/SONG] and [PIANO/VOICE] simultaneously, press the A5 key.



Using Headphones

Since this instrument is equipped with two [PHONES] jacks, you can connect two sets of standard stereo headphones. If you are using only one set of headphones, insert a plug into either jack, which automatically shuts off the speakers.



/!\ CAUTION

Do not use headphones at a high volume for an extended period of time; doing so may cause hearing loss.


Reproducing a natural sense of distance (Stereophonic Optimizer)

The Stereophonic Optimizer gives you the feeling of playing an actual acoustic piano — even though you're listening through headphones. Normally, the sound comes out from headphones sounds very close to your ears. However, this Stereophonic Optimizer effect recreates a natural distance or the sense of physical space between your ears and the instrument, just as when playing an acoustic piano.

Default setting:

 Ω n

While holding down [PIANO/VOICE], press the A #0 key to turn the function on. Press the A0 key while holding down [PIANO/VOICE] to turn the function off.



Playing the Piano


Intelligent Acoustic Control (IAC)

With this function, the sound quality of this instrument is automatically adjusted and controlled according to the overall volume. Even when the volume is low, this lets you hear both low sounds and high sounds clearly.

Default setting: On


To turn on IAC:

While holding down [PIANO/VOICE], press the F#0 key.




To turn off IAC:

While holding down [PIANO/VOICE], press the F0 key.



To adjust IAC Depth:

While holding down [PIANO/VOICE], press one of the A-1 - D#0 keys.



The higher the value, the more clearly that low and high sounds are heard at lower volume levels.


Setting range: A-1 (-3) - D#0 (+3)

Default setting: C0 (0)

Using the Pedals

Damper Pedal (Right)


Pressing this pedal will sustain notes longer. Releasing this pedal immediately stops (damps) any sustained notes. This pedal also features a "half-pedal" function that creates partial sustain effects, depending on how far down you press the pedal.



When you press the damper pedal here, this note and the notes you play before you release the pedal sustain longer.

Sostenuto Pedal (Center)

Pressing this pedal while holding the notes will sustain the pressed notes (as if the Damper Pedal had been pressed), but all subsequently played notes will not be sustained. This makes it possible to sustain a chord or single low note, for example, while the other notes are played "staccato."



When you press the sostenuto pedal here while holding the note, the note will sustain as long as you hold the pedal.

NOTE

If the damper pedal doesn't work, make sure that the pedal cord is properly plugged into the main unit (page 32).

Half-pedal function

This function allows you to vary the sustain length depending on how far the pedal is pressed. The farther down you press the pedal, the more the sound sustains. For example, if you press the damper pedal and all notes you are playing sound a bit murky and loud with too much sustain, you can release the pedal half way or higher to decrease the sustain (murkiness).

NOTE

While the sostenuto pedal is held, the organ and strings Voices sound continuously without decay after the notes have been released.

NOTE

When you select the Jazz Organ Voice, pressing the left pedal switches between fast/ slow rotation of the rotary speaker (page 18).

Soft Pedal (Left)

Pressing this pedal will reduce the volume and slightly change the timbre of the notes. The notes played before this pedal is pressed are not affected.

Using the Damper Resonance

The Damper Resonance effect simulates the sustain sound of the damper pedal on a grand piano, as if you were pressing the damper pedal and playing the keyboard. This effect is applied to the entire sound of the instrument.

To turn on the Damper Resonance:

While holding [PIANO/VOICE], press the G#2 key.

To turn off the Damper Resonance:

While holding [PIANO/VOICE], press the G2 key.



Default setting:

On

Setting the Operation Confirmation Sounds

When a setup is changed using a button and key combination, an operation sound ("On," "Off," click, tempo value input) is sounded. This confirmation sound can be enabled (ON) or disabled (OFF) as desired.

Turning the Operation Confirmation Sounds on

While holding down [DEMO/SONG] and [PIANO/VOICE] simultaneously, press the A#-1 key.

Turning the Operation Confirmation Sounds off

While holding down [DEMO/SONG] and [PIANO/VOICE] simultaneously, press the A-1 key.



Default setting: On

Changing the Touch Sensitivity

You can specify the Touch Sensitivity (how the sound responds to the way you play the keys).

While holding down [PIANO/VOICE], press one of the A6 – C7 keys.



Key	Touch Sensitivity	Description
A6	Fixed	The volume level does not change at all regardless of whether you play the keyboard soft or hard.
A#6	Soft	The volume level does not change much when you play the keyboard soft or hard.
В6	Medium	This is the standard piano touch response.
C7	Hard	The volume level changes very widely from pianissimo to fortissimo to facilitate dynamic and dramatic expression. You have to hit the keys hard to produce a loud sound.

NOTE


This setting is disabled with some Voices, such as an organ sound.

Default setting: B6 (Medium)

Using the Metronome

The metronome feature is convenient for practicing with an accurate tempo.

- 1. Press [METRONOME] to start the Metronome.
- 2. Press [METRONOME] to stop the Metronome.



Voice confirmation of current Tempo value (in English)

While holding down [METRONOME], press the A-1 key (lowest key).

Selecting a Beat

While holding down [METRONOME], press one of the C3 – F3 keys.

Adjusting the Tempo

The Metronome tempo can be set from 5 to 280 beats per minute.

- To increase or decrease the value by 1: While the metronome is playing, press [+R] to increase or [-L] to decrease.
- To increase or decrease the value by 10: While holding down [METRONOME], press the C2 key to increase or the D2 key to decrease.
- To specify a three-digit value:

While holding down [METRONOME], press the relevant C1 – A1 keys one by one in order. For example to specify "95," press the A1 (0), G#1 (9) and E1 (5) keys in order.

• Resetting the value to the default (120)

While holding down [METRONOME], press [+R] and [-L] simultaneously, or press the C#2 key.

Adjusting the Volume

While holding down [METRONOME], press the D4 key to increase the volume or the C4 key to decrease.

Key	Beat
C3	0
C#3	2
D3	3
D#3	4
E3	5
F3	6

A numeric value is read out when a relevant key is pressed.

Setting range:

1 – 20

Default setting:

15 (C#4)

Playing Various Musical Instrument Sounds (Voices)

Selecting a Voice

To select "Grand Piano 1":


Simply press [PIANO/VOICE].

To select another Voice:

After pressing [PIANO/VOICE], press [+R] or [-L] to select the next or previous Voice.

To select a specific Voice:

While holding down [PIANO/VOICE], press one of the C1 - A1 keys. For details on which Voice is assigned to each key, see the list below.



Voice List

Key	Voice Name	Voice description
C1	Grand Piano 1	This sound was sampled from a full concert grand piano. It uses different samples depending on the strength of your playing and produces smoother tonal changes. Suitable not only for classical compositions but also for piano pieces of any style.
C#1	Grand Piano 2	Warm and soft piano sound. Good for playing ballads.
D1	Grand Piano 3	Bright piano sound. Clear tone helps the sound to "cut through" when playing in an ensemble.
D#1	E.Piano 1	An electronic piano sound created by FM synthesis. Good for standard popular music.
E1	E.Piano 2	The sound of an electric piano using hammer-struck metallic "tines." Soft tone when played lightly, and an aggressive tone when played hard.
F1	Harpsichord	The definitive instrument for baroque music. Since harpsichord uses plucked strings, there is no touch response. There is, however, a characteristic additional sound when the keys are released.
F#1	Vibraphone	Vibraphone played with relatively soft mallets. The tone becomes more metallic the harder you play.
G1	Pipe Organ	This is a typical pipe organ sound (8 feet + 4 feet + 2 feet). Good for sacred music from the Baroque period.
G#1	Jazz Organ	The sound of a "tonewheel" type electric organ. Often heard in jazz and rock music. The rotary speed of the rotary speaker effect can be switched by using the left pedal.
A1	Strings	Stereo-sampled, large-scale strings ensemble with realistic reverb. Try combining this Voice with piano in the Dual mode.

NOTE

To hear the characteristics of the Voices, play back the Demo Songs (page 19).

Listening to the Demo Songs


Special individual Demo Songs are provided for all of the instrument Voices.

1. Press [DEMO/SONG] to start playback.

The [PLAY] lamp flashes, and the Demo Song for the current Voice starts. Starting with the selected song, the playback of the Demo Songs will continue. After the last demo song, the sequence then returns to the first Demo Song and repeats until you stop it.

To change the Demo Song during playback:

Press [+R] or [-L] to change to the next or previous Demo Song. To change to a specific Demo Song, press and hold down [DEMO/SONG], then press one of the C1 - A1 keys.



2. Press [DEMO/SONG] or [PLAY] to stop playback.

The [PLAY] lamp turns off.

Demo Song List

Key	Voice Name	Title	Composer
C1	Grand Piano 1	Blumenlied	G. Lange
C#1	Grand Piano 2	Von fremden Landern und Menchen, Kinderszenen op. 15-1	R. Schumann
D1	Grand Piano 3	Original	_
D#1	E.Piano 1	Original	_
E1	E.Piano 2	Original	_
F1	Harpsichord	Concerto a cembalo obbligato, 2 violini, viola e continuo No. 7, BWV. 1058	J. S. Bach
F#1	Vibraphone	Original	_
G1	Pipe Organ	Herr Christ, der ein'ge Gottes-Sohn, BWV. 601	J. S. Bach
G#1	Jazz Organ	Original	_
A1	Strings	Original	_

The Demo Songs excluding original Songs are short rearranged excerpts from the original compositions. The original Demo Songs are Yamaha originals (©2016 Yamaha Corporation).

NOTE

If you want to change the playback tempo, see page 17.

Adding Variations to the Sound (Reverb)

This instrument features several Reverb Types that add extra depth and expression to the sound to create a realistic acoustic ambience. The appropriate Reverb Type and Depth are called up automatically when you select each of the Voices and Songs. This is why the Reverb Type need not be selected; however, you can change it if desired.

Reverb in Dual Mode To select a Reverb Type: (page 22) While holding down [PIANO/VOICE], press one of the C2 – E2 keys. An optimum reverb type for the combination of Voices is assigned automatically. Selecting a Adiustina **Reverb Type Reverb Depth** D#2 C#2 G#4: depth 20 C2 D2 E2 Lowest key C3: depth 0 Highest key

The depth value increases as you press higher keys.

Reverb Type List

Key	Reverb Type	Description
C2	Recital Hall	Simulates the clear reverb sound you would hear in a medium- sized concert hall for piano recitals.
C#2	Concert Hall	Simulates the gorgeous reverb sound you would hear in a large concert hall for orchestral performances.
D2	Chamber	Suitable for playing chamber music; simulates the intimate reverb sound you would hear in a spacious room, such as for classical music recitals.
D#2	Club	Simulates the vivid reverb sound you would hear in a live music venue or a jazz club.
E2	Off	No effect is applied.

To adjust Reverb Depth:

While holding down [PIANO/VOICE], press one of the C3 – G#4 keys. The Depth value increases as you press higher keys.

While holding down [PIANO/VOICE], press the A4 key to set the Reverb Depth to the most suitable value for the current Voice.

Reverb Depth range:

0 (no effect) - 20 (maximum depth)

Transposing the Pitch in Semitones

You can shift the pitch of the entire keyboard up or down in semitones in order to facilitate playing in difficult key signatures, or to easily match the pitch of the keyboard to the range of a singer or other instruments. For example, if "+5" is selected, playing key C produces pitch F, letting you play a song of F major as though it were in C major.

To transpose the pitch down:


While holding down [DEMO/SONG] and [PIANO/VOICE], press a key between F#2 (-6) and B2 (-1).

To transpose the pitch up:

While holding down [DEMO/SONG] and [PIANO/VOICE], press a key between C#3 (+1) and F#3 (+6).

To restore the normal pitch:

While holding down [DEMO/SONG] and [PIANO/VOICE], press the C3 key.




Fine-tuning the Pitch

You can fine-tune the pitch of the entire instrument in about 0.2 Hz steps. This lets you accurately match the keyboard pitch to that of other instruments or CD music.


To tune up (in about 0.2 Hz steps):

Press and hold down [DEMO/SONG] and [PIANO/VOICE] simultaneously, and press [+R].




To tune down (in about 0.2 Hz steps):

Press and hold down [DEMO/SONG] and [PIANO/VOICE] simultaneously, and press [-L].




To set the pitch to 442.0 Hz:

Press and hold down [DEMO/SONG] and [PIANO/VOICE] simultaneously, and press the A0 key.



To restore default pitch (440.0 Hz):

Press and hold down [DEMO/SONG] and [PIANO/VOICE] simultaneously, and press [+R] and [-L] simultaneously.



Hz (Hertz)

This unit of measurement refers to the frequency of a sound and represents the number of times a sound wave vibrates in a second.

Setting range:

414.8 - 466.8 Hz

Default setting:


A3 = 440.0 Hz

Layering Two Voices (Dual mode)

You can layer two Voices and play them simultaneously to create a more richly textured sound.

1. Engage the Dual mode.

While holding down [PIANO/VOICE], simultaneously hold down two keys between C1 and A1 to select the two desired Voices. For information on which Voices are assigned to the keys, refer to "Voice List" (page 18).



The Voice assigned to the lower key will be designated as Voice 1, and the Voice assigned to the higher key will be designated as Voice 2. You cannot assign the same Voice to both Voice 1 and Voice 2 simultaneously in Dual mode.

To shift the Octave for each Voice:

While holding down [PIANO/VOICE], press one of the C5 – F5 keys.

To adjust the Balance between two Voices:

While holding down [PIANO/VOICE], press one of the F#5 – F#6 keys. When the value is set to "0" (C6), the volume levels of the two Voices reset to their respective default settings. Settings below "0" increase the volume of Voice 2, while settings above "0" increase the volume of Voice 1, in relation to the other.

$2. \ \ \text{To exit from Dual mode, press [PIANO/VOICE]}.$

NOTE

The Dual and Duo modes (page 23) cannot be engaged at the same time.

Setting range:

-1 - 0 - + 1

Setting range:

-6 - 0 - +6

Playing Duo


This function allows two different players to play the instrument, one on the left and the other on the right, over the same octave range.


1. While holding down [PIANO/VOICE], press [+R] and [-L] simultaneously to engage Duo.

The keyboard is divided into two sections, with the E3 key as the Split Point.

NOTE

- Different Voices cannot be assigned to the Right Voice and Left Voice.
- The Split Point cannot be changed from E3.





Left section (Voice 2)

Right section (Voice 1)

2. One person can play the left section of the keyboard while the other plays the right.

To shift the Octave for each section:

Same operation as in Dual (page 22).

In Duo, the left section is assigned to Voice 2, while the right section is assigned to Voice 1.

To adjust the volume balance between two keyboard sections:

Same operation as in Dual (page 22).

Settings below "0" increase the volume of Left Voice (Voice 2), while settings above "0" increase the volume of Right Voice, in relation to the other.

Pedal function in Duo

Damper Pedal: Applies Sustain to the right section. **Sostenuto Pedal:** Applies Sustain to both sections. **Soft Pedal:** Applies Sustain to the left section.

$3. \,\,$ To exit from Duo, simultaneously hold down [PIANO/ VOICE] and press [+R] and [-L].

Setting range:

-2 - 0 - +2

Setting range:

-6 - 0 - +6

NOTE

Sounds played in the left section are played from the left speaker, and sounds played in the right section are played from the right speaker.

NOTE

If the keyboard is in Dual mode, engaging Duo will exit from Dual, and Voice 1 is used over the entire range of the keyboard.


Song Playback and Practice

Listening to 50 Preset Songs

In addition to the Demo Songs, Preset Songs are provided for your listening pleasure.

- 1. Find the number of the Song that you want to play back from the included "50 Greats for the Piano."
- 2. While holding down [DEMO/SONG], press one of the C2 C#6 keys to start playback.

The number of each piano Preset Song is assigned to the C2 – C#6 keys.



The [+R] and [-L] lamps light, then the [PLAY] lamp flashes at the current tempo, and playback of the Preset Songs continues in sequence, starting with the selected song. After the last Preset Song, the sequence then returns to the first Preset Song and repeats until you stop it.

To change the Preset Song during playback:

Press [+R] or [-L] to change to the next or previous Preset Song, or directly select the desired Song by holding down [DEMO/SONG] and pressing the appropriate key.

To change the tempo during playback:

Press [METRONOME] to start the Metronome, then press [+R] or [-L] to increase or decrease the Tempo value by 1. Other instructions are the same as those of the Metronome Tempo (page 17).

To play back from the beginning of the Song at the desired tempo for practice:

During playback, press [+R] and [-L] simultaneously to jump to the playback position at the beginning of the Song then continue playback at the last specified tempo.

3. Press [DEMO/SONG] or [PLAY] to stop playback.

The [PLAY], [+R] and [-L] lamps turn off.

NOTE

You can play the keyboard along with the preset Song. You can also change the Voice played from the keyboard.

NOTE

The preset Songs, Demo Songs and other Songs (a maximum of ten) transferred from a computer can be played back consecutively within each category.

NOTE

You can import additional Songs by loading SMF files from a computer. For details, refer to the "Computer-related Operations" on the website (page 9).


Practicing a One-Hand Part

All the Songs except for the Demo (page 19) let you turn on or off the left-hand and right-hand Parts individually. By turning off [+R], for example, you can practice the right-hand Part while the left-hand Part is playing back, and vice versa.

1. Select a Preset Song (page 24) or the User Song (page 26).

2. While holding down [PLAY], press [+R] or [-L] to turn the Part on/off.

Pressing the same button repeatedly while holding down [PLAY] toggles playback on and off. The lamp of the button lights to indicate that the corresponding Part is on.



Lamp lights when Part is on.

NOTE

Selecting another Song will reset the on/off status.

3. Practice the Part which is turned off.

To change the Tempo:

If desired, you can change the tempo for your practice convenience. For details, refer to page 17.

4. Press [PLAY] to stop playback.

Playing from the Beginning of a Measure that Includes Rest or Silence

This Quick Play feature enables you to specify whether a Song should play back immediately from the very first note, or play back any silence or rests that exist before the first note.


To turn on Quick Play:

Hold down [DEMO/SONG] and press the A#-1 key to enable immediate playback from the first note or first pedal operation.



To turn off Quick Play:

Hold down [DEMO/SONG] and press the lowest key (A-1) to play from the top of the first measure (including a rest or blank).



Default setting:

Recording Your Performance

This instrument lets you record your keyboard performance as the User Song. Up to two Parts (left-hand and right-hand) can be recorded separately.

Recording Your Performance

1. Select the desired Voice and other parameters, such as beat, for recording.

For instructions on selecting a Voice, refer to page 18. If necessary, set other parameters, such as beat and effects, in this step.


2. While holding down [REC], press [+R] or [-L] to engage Record Ready mode for the Part you want to record.

If you do not intend to record right- and left-hand Parts separately, record the entire performance to either Part.

Recording the right-hand Part ([+R])



Recording the left-hand Part ([-L])



After a while, the [REC] lamp and the selected Part lamp will flash at the current tempo.

To exit from Record Ready mode:

Simply press [REC].

If data has already been recorded to the other Part:

The data in this Part will be played back while recording.

3. Play the keyboard or press [PLAY] to start recording.

The [REC] lamp lights up while the Recording Part lamp flashes at the current tempo.

4. Press either [REC] or [PLAY] to stop recording.

The [REC], [PLAY], [+R] and [-L] lamps flash, indicating that the recorded data is being stored. After the Save operation is completed, the lamps will turn off, indicating that the Record operation has been completed.

- 5. If desired, record the other Part by repeating Steps 1 4.
- 6. To hear the recorded Song, press [PLAY] to start playback. Press [PLAY] again to stop playback.



About audio files

The Recording function of this instrument will record your keyboard performance as MIDI data. Note that audio recording is not available.

Recording Capacity

This instrument can record up to 100 KB (approximately 11.000 notes).

You can use the Metronome while recording; however, the Metronome sound will not be recorded.

NOTICE

If a Part contains data, the Part lamp lights. Note that the Recording operation will replace already-recorded data with the new data.

If the keyboard is in the Duo mode (page 23), the data will be recorded to each Part. The Part for recording cannot be specified.

NOTICE

Never turn off the power while the recorded data is being stored (while the lamps are flashing). Otherwise, all recorded data will be lost.

NOTE

The recorded Song data can be saved to a computer as a Standard MIDI file (SMF). For details, refer to the "Computerrelated Operations" on the website (page 9).

Changing the Initial Settings of the Recorded Song

The settings of the following parameters can be changed after the Record operation is completed.

- For individual Parts: Voice, Volume balance (Dual/Duo), Reverb Depth, Damper Resonance
- For the entire Song: Tempo, Reverb Type
- 1. Make settings for the above parameters as desired.
- 2. While holding down [REC], press the desired Part button to engage Record Ready mode.

After a while, the [REC] lamp and the selected Part lamp will flash at the current tempo.

In this status, do not press [PLAY] again or any key. Otherwise, the originally recorded performance data will be deleted.

3. While holding down [REC], press [PLAY] to exit from Record Ready mode.

The [REC], [PLAY], [+R] and [-L] lamps flash. After the Save operation is completed, the lamps will turn off, indicating that the operation has been completed.

Confirm the setting by playing the Song.

Deleting Recorded Data

To delete the entire Song:

1. While holding down [REC], press [DEMO/SONG].

The [+R] and [-L] lamps flash. To exit from this status, press [-L].

2. Press [+R] to delete the data of the entire Song.

The [REC], [PLAY], [+R] and [-L] lamps flash. After the operation is completed, all lamps turn off.

To delete a specific Part:

1. While holding down [REC], press [+R] or [-L] (depending on the Part you want to delete) to engage Record Ready

The [REC] and the selected Part ([+R] or [-L]) lamps flash.

 $2.\,$ Press [PLAY] to start recording without playing the keyboard.

The selected Part ([+R] or [-L]) lamp flashes.

3. Press [REC] or [PLAY] to stop recording.

All data recorded for the selected Part will be deleted, and the lamp turns off.

Backing up Data and Initializing the Settings

Data Maintained When Power is Turned Off

The following settings and data are maintained even if you turn the power off.

- Metronome Volume
- Metronome Beat
- Touch Sensitivity
- Tuning
- Intelligent Acoustic Control Depth
- Intelligent Acoustic Control On/Off

- Stereophonic Optimizer On/Off
- Operation Confirmation Sounds On/Off
- Auto Power Off Enable/Disable
- · User Song data
- Song data (SMF files) transferred from a computer

Saving User Song data to a computer

Among the data listed above, only User Song data (USERSONG00.MID) can be transferred to a computer and saved as an SMF file. For details, refer to the "Computer-related Operations" on the website (page 9).

Saved data may be lost due to malfunction or incorrect operation. Save important data to an external device such as a computer.

Transferring SMF Files Between a Computer and this Instrument

With Musicsoft Downloader (available for free at Yamaha website), up to 10 SMF files can be transferred from the computer to the internal memory of this instrument, and vice versa. For details, refer to the "Computer-related Operations" on the website (page 9).

Types of file that can be exchanged with a computer

Files with a .mid extension (SMF format 0 or 1)


NOTE

Certain MIDI files in SMF format 0 or 1 may contain data that is not supported by your digital piano. In such a case. the files may not play as originally intended.

Initializing the Settings

With this operation, all data (with the exception of the Songs) will be reset to the factory default settings.

To do this, simultaneously hold down the C7 (the highest) key and turn on the power.





NOTICE

Never turn off the power while the Initialize operation is being executed (that is, while the [REC], [PLAY], [+R] and [-L] lamps are flashing).

If this instrument somehow becomes disabled or malfunctions, turn off the power then execute Initialization.

Troubleshooting

Problem	Possible Cause and Solution
Power suddenly and unexpectedly turns off.	This is normal and the Auto Power Off function may have been activated (page 13). If desired, disable the Auto Power Off function.
The instrument does not turn on.	The plugs are not properly connected. Make sure that the DC plug is securely inserted into the DC IN jack on the instrument, and that the AC plug is securely inserted to the AC outlet (page 12).
A click or pop is heard when the power is turned on or off.	This is normal when electrical current is being applied to the instrument.
Noise is heard from the speakers or headphones.	The noise may be due to interference caused by the use of a mobile phone in close proximity to this instrument. Turn off the mobile phone, or move it further away from this instrument.
Noise is heard from the instrument's speakers or headphones when using the instrument with the application on iPhone/iPad.	When you use the instrument along with the application on your iPhone/ iPad, we recommend that you set "Airplane Mode" to "ON" on your iPhone/ iPad in order to avoid noise caused by communication. While Bluetooth is connected, setting "Airplane Mode" to "ON" disconnects Bluetooth; however, the connection can be restored by reconnecting again.
	The Master Volume is set too low. Set it to an appropriate level using the [MASTER VOLUME] knob (page 12).
The overall volume is low, or no sound is heard.	Make sure a pair of headphones or conversion adaptor is not connected to the [PHONES] jack (page 13).
	Make sure that Local Control is On. For details, refer to the "MIDI Reference" (page 9).
Pedals do not function.	The pedal cord may not be securely connected to the [TO PEDAL] jack. Be sure to insert the pedal cord all the way until the metal part of the cord plug disappears from view (page 32).
The damper pedal does not function as expected.	The damper pedal was pressed when the power was turned on. This is not a malfunction; release the pedal and press it again to reset the function.

Keyboard Stand Assembly

The illustrations here are taken from the YDP-143.


♠ CAUTION

- . Be careful not to confuse parts, and be sure to install all parts in the correct orientation. Please assemble the unit in accordance with the sequence given below.
- Assembly should be carried out by at least two persons.
- · Assemble the unit on a hard and flat floor with ample space.
- Be sure to use the included screws only, and insert screws of the correct size in the correct hole locations. Use of incorrect screws can cause damage or malfunction of the product.
- · Be sure to tighten all screws upon completing assembly of the unit.
- · To disassemble, reverse the assembly sequence given below.


Have a Phillips-head (+) screwdriver of the appropriate size




Remove all parts from the package and make sure you have all of the items.



The adaptor may not be included, or may look different from the illustration above, depending on your particular area. Please check with your Yamaha dealer.




1. After untying the bundled pedal cord on C, attach C to D and E and fasten the screws (1-3).



1-1 Untie and straighten out the bundled pedal

Untie the two vinyl strings.




- 1-2 Align D and E with each end of C.
- 1-3 Attach D and E to C by finger-tightening the long screws \bigcirc (6 x 20 mm).

Com Com

2. Attach B.


Depending on the model of digital piano you purchased, the surface color of one side of B may be different from the other side. In this case, position B so that the side of the surface color similar to D and E faces the player.

- 2-1 Place the lower side of B on each foot of D and E, then attach the upper side to D and E.
- 2-2 Attach the top of B to D and E by fingertightening the thin screws 3 (4 x 12 mm).
- 2-3 While pressing on the lower part of D and E from the outside, secure the bottom ends of B using two tapping screws 4 (4 x 20 mm).
- 2-4 Insert the other two tapping screws 4 (4 x 20 mm) into the other two screw holes to secure B.
- 2-5 Securely tighten the screws on the top of B that were attached in Step 2-2.




3. Secure C.

Securely tighten the screws on C that were attached in Step 1-3.



4. Mount A.

Be sure to place your hands at least 10 cm from either end of A when positioning it.




/!\ CAUTION

- Fingers can become pinched between the main unit and the rear or side panels, be extra careful so as not to drop the
- . Do not hold the keyboard in any position other than the position shown in the illustration.

5. Secure A.

- 5-1 Adjust the position of A so that the left and right ends of A will project beyond D and E equally when seen from the front.
- 5-2 Secure A by tightening the short screws 2 (6 x 16 mm) from the front.




6. Connect the pedal cord and the AC adaptor.


- 6-1 Insert the pedal cord plug to the [TO PEDAL] jack from the rear.
- 6-2 Securely wind the cord holder around the pedal cord.

The cord holder is attached to D.


6-3 Insert the AC adaptor plug into the DC IN jack from the rear.



Insert the pedal cord securely until the metal part of the cord plug disappears from view. Otherwise, the pedal may not function properly.



7. Set the adjuster.




Rotate the adjuster until it comes in firm contact with the floor surface.

(YDP-163 only)

8. Attach the headphone hanger.

Use the included two screws (4 x 10 mm) to attach the hanger as shown in the illustration.



NOTICE

Do not hang anything other than the headphones on the hanger. Doing so may damage this instrument or the hanger.

After completing the assembly, please check the following.

- Are there any parts left over?
 - → Review the assembly procedure and correct any
- · Is this instrument clear of doors and other movable fixtures?
 - → Move the instrument to an appropriate location.
- Does this instrument make a rattling noise when vou shake it?
 - → Tighten all screws.
- Does the pedal box rattle or give way when you step on the pedals?
 - → Turn the adjuster so that it is set firmly against the
- Are the pedal cord plug and the adaptor plug inserted securely into the sockets?
 - → Check the connection.


When moving the instrument



⚠ CAUTION

When moving the instrument after assembly, always hold the bottom of the main unit. Do not hold the key cover or top portion. Improper handling can result in damage to the instrument or personal injury.

Rotate the adjuster under the pedal until it separates from the floor surface. Contact with the adjuster can result in damage to the floor surface.



Transporting

If you move to another location, you can transport the instrument along with other belongings. You can move the unit as it is (assembled), or you can disassemble the unit down to the condition it was in when you first took it out of the box. Transport the keyboard horizontally. Do not lean it up against a wall or stand it up on its side. Do not subject the instrument to excessive vibration or shock. When transporting the assembled instrument, make sure all screws are properly tightened and have not been loosened by moving the instrument.



If the main unit creaks or is otherwise unsteady when you play on the keyboard, refer to the assembly diagrams and retighten all screws.

Specifications

	Items		YDP-163	YDP-143
	Width		1,357 mm	(53-7/16")
	Height		849 mm (33-27/64")	815 mm (32-1/16")
Size/Weight	(With music rest raised)		(1,003 mm (39-31/64"))	(969 mm (38-1/8"))
	Depth		422 mm	
	Weight	T	42.0 kg (92 lbs., 10 oz.)	38.0 kg (83 lbs., 12 oz.)
	Keyboard	Number of Keys Type	GH3 keyboard with synthetic ivory	8 GHS keyboard with matte black
		Touch Despense	keytops	keytops m/Soft/Fixed
Control Interface		Touch Response Number of Pedals	· ·	3
	Pedal	Half Pedal	Yes (Damper)	
	i caai	Functions	Damper, Sostenuto, Soft	
	Panel Language	T dilottorio		alish
	Key Cover Style			ling
Cabinet	Music Rest			es
	Tone Generation	Piano Sound		und Engine
	Piano Effect	Damper Resonance		es
Voices	Polyphony	Number of Polyphony (Max.)		92
	Preset	Number of Voices	1	0
		Reverb	4 ty	pes
	Types	Intelligent Acoustic Control (IAC)	•	es
Effects		Stereophonic Optimizer	Ye	es
	Functions	Dual	Ye	es
	Functions	Duo	Ye	es
	Preset	Number of Preset Songs	10 Demo Songs, 50	Piano Preset Songs
		Number of Songs		1
Recording/Playback	Recording	Number of Tracks	2	
(MIDI data only; audio not supported)		Data Capacity	100 KB/Song (Approx. 11,000 notes)	
	Compatible	Recording	SMF (Format 0)	
	Data Format	Playback	SMF (Format 0 & 1)	
		Metronome	Yes	
Functions	Overall Controls	Tempo	5 – 280	
		Transpose	-6 - 0 - +6	
		Tuning		0 – 466.8 Hz
Storage and	Storage	Internal Memory	Total maximum size approx. 900 KB (User song: One song approx. 100 KB, Loading song data from a computer: Up to 10 Songs)	
Connectivity	Connectivity	Headphones	Standard stereo phone jack (x 2)	
	Connocavity	USB TO HOST	Ye	es
	Amplifiers		20 W x 2	6 W x 2
Sound System	Speakers		·	1 x 6 cm) x 2
	Acoustic Optimizer Adaptor		PA-300C or an equivalent	PA-150 or an equivalent
Power Supply	Power Consumption		recommended by Yamaha 12 W	recommended by Yamaha 8 W
	Auto Power Off		(When using PA-300C AC adaptor)	(When using PA-150 AC adaptor)
Included Accessories		Owner's Manual, 50 greats for the Piano (Music Book), Quick Operation Guide, Bench (included or optional depending on locale), Online Member Product Registration, AC adaptor: PA-300C or an equivalent, Power cord (included or optional depending on locale) HPH-150/100/50 headphones, AC	Owner's Manual, 50 greats for the Piano (Music Book), Quick Operation Guide, Bench (included or optional depending on locale), Online Member Product Registration, AC adaptor: PA-150 or an equivalent (included or optional depending on locale) HPH-150/100/50 headphones, AC	
Separately Sold Accessories (May not be available depending on your locale.)		adaptor PA-300C or an equivalent, UD-BT01 Wireless MIDI adaptor	adaptor: PA-150 or an equivalent recommended by Yamaha, UD-BT01 Wireless MIDI adaptor	

^{*} The contents of this manual apply to the latest specifications as of the printing date. Since Yamaha makes continuous improvements to the product, this manual may not apply to the specifications of your particular product. To obtain the latest manual, access the Yamaha website then download the manual file. Since specifications, equipment or separately sold accessories may not be the same in every locale, please check with your Yamaha dealer.

Index

Numerics
50 Preset Songs24
A
AC adaptor9
Accessories9
Auto Power Off13
В
Backing up Data28
Beat17
С
Computer-related Operations9
D
Damper Pedal15
Damper Resonance15
Delete
Demo Song List
Demo Songs9 Digital Piano Controller9
Dual mode
Duo
H
Half-pedal
Hz (Hertz)21
· · · · · ·
I Latinham
Initializing
iPhone/iPad Connection Manual
K
Key Cover11
L
Left-hand Part25
M
Manuals9
Metronome17
MIDI Basics
MIDI Reference
Music Rest11

0	
Octave	22
Online Manuals (PDF)	9
Operation Confirmation Sounds	16
-	
P	
Panel Controls and Terminals	10
Pedals	15
Pitch	21
Playback19,	24, 26
Power	
Power indicator	12
Practice	
Preset Songs	
Ü	
Q	
Quick Operation Guide	9
Quick Play	25
•	
R	
Recording	26
Reverb	20
Reverb Depth	20
Reverb Type	20
Reverb Type List	
Right-hand Part	
S	
SMF Files	28
Soft Pedal	15
Sostenuto Pedal	15
Stereophonic Optimizer	13
T	
Tempo	
Touch Sensitivity	16
Transpose	21
Tuning	
U	
USB TO HOST	10
User Song	26
**	
${f V}$	
Voice	
Voice List	18
Volume	12 17

NORTH AMERICA

CANADA

Vamaha Canada Music Ltd.

135 Milner Avenue, Toronto, Ontario M1S 3R1, Canada

Tel: +1-416-298-1311

U.S.A.

Yamaha Corporation of America

6600 Orangethorpe Avenue, Buena Park, CA 90620,

Tel: +1-714-522-9011

CENTRAL & SOUTH AMERICA

MEXICO

Yamaha de México, S.A. de C.V. Av. Insurgentes Sur 1647 Piso 9, Col. San José Insurgentes, Delegación Benito Juárez, México, D.F., C.P. 03900 Tel: +52-55-5804-0600

BRAZIL

NAZIL Yamaha Musical do Brasil Ltda. Rua Fidêncio Ramos, 302 – Cj 52 e 54 – Torre B – Vila Olimpia – CEP 04551-010 – São Paulo/SP, Brazil

Tel: +55-11-3704-1377

ARGENTINA

NGENTINA Yamaha Music Latin America, S.A., Sucursal Argentina Olga Cossettini 1553, Piso 4 Norte, Madero Este-C1107CEK, Buenos Aires, Argentina Tel: +54-11-4119-7000

VENEZUELA

Yamaha Musical de Venezuela, C.A. AV. Manzanares, C.C. Manzanares Plaza, Piso 4, Oficina 0401, Baruta, Caracas, Venezuela Tel: +58-212-943-1877

PANAMA AND OTHER LATIN AMERICAN COUNTRIES/ CARIBBEAN COUNTRIES

ARTIBLEAN COOLITES
Yamaha Music Latin America, S.A.
Edif. Torre Banco General, F7, Urb. Marbella,
Calle 47 y Aquilino de la Guardia, Panama,
P.O.Box 0823-05863, Panama, Rep.de Panama Tel: +507-269-5311

EUROPE

THE UNITED KINGDOM/IRELAND

Yamaha Music Europe GmbH (UK) Sherbourne Drive, Tilbrook, Milton Keynes, MK7 8BL, U.K.

Tel: +44-1908-366700

GERMANY

Yamaha Music Europe GmbH Siemensstrasse 22-34, 25462 Rellingen, Germany Tel: +49-4101-303-0

SWITZERLAND/LIECHTENSTEIN

Yamaha Music Europe GmbH, Rellingen, Branch Switzerland in Zürich Seefeldstrasse 94, 8008 Zürich, Switzerland Tel: +41-44-3878080

AUSTRIA

Yamaha Music Europe GmbH, Branch Austria Schleiergasse 20, 1100 Wien, Austria Tel: +43-1-60203900

CZECH REPUBLIC/HUNGARY/ ROMANIA/SLOVAKIA/SLOVENIA

Yamaha Music Europe GmbH, Branch Austria Schleiergasse 20, 1100 Wien, Austria

Tel: +43-1-60203900 POLAND/LITHUANIA/LATVIA/

ESTONIA
Yamaha Music Europe GmbH
Sp.z o.o. Oddział w Polsce
ul. Wrotkowa 14, 02-553 Warsaw, Poland
Tel: +48-22-880-08-88

BULGARIA

DMI12

Dinacord Bulgaria LTD. Bul.Iskarsko Schose 7 Targowski Zentar Ewropa 1528 Sofia, Bulgaria Tel: +359-2-978-20-25

Olimpus Music Ltd. Valletta Road, Mosta MST9010, Malta Tel: +356-2133-2093

NETHERLANDS/BELGIUM/

LUXEMBOURG

Yamaha Music Europe, Branch Benelux Clarissenhof 5b, 4133 AB Vianen, The Netherlands Tel: +31-347-358040

FRANCE

Yamaha Music Europe
7 rue Ambroise Croizat, Zone d'activités de Pariest,
77183 Croissy-Beaubourg, France
Tel: +33-1-6461-4000

ITALY

Yamaha Music Europe GmbH, Branch Italy Viale Italia 88, 20020, Lainate (Milano), Italy Tel: +39-02-93577-1

SPAIN/PORTUGAL

Yamaha Music Europe GmbH Ibérica, Sucursal en Esnaña

Ctra. de la Coruna km. 17,200, 28231 Las Rozas de Madrid, Spain Tel: +34-91-639-88-88

GREECE

Philippos Nakas S.A. The Music House 19th klm. Leof. Lavriou 190 02 Peania – Attiki,

Greece Tel: +30-210-6686260

SWEDEN

Yamaha Music Europe GmbH Germany filial Scandinavia

JA Wettergrensgata 1, 400 43 Göteborg, Sweden Tel: +46-31-89-34-00

DENMARK

Yamaha Music Denmark, Fillial of Yamaha Music Europe GmbH, Tyskland Generatorvej 8C, ST. TH., 2860 Søborg, Denmark Tel: +45-44-92-49-00

FINLAND

F-Musiikki Oy

Antaksentie 4 FI-01510 Vantaa, Finland Tel: +358 (0)96185111

NORWAY

Yamaha Music Europe GmbH Germany -

Norwegian Branch Grini Næringspark 1, 1361 Østerås, Norway Tel: +47-6716-7800

ICELAND

Hljodfaerahusid Ehf. Sidumula 20

IS-108 Reykjavik, Iceland Tel: +354-525-5050

CROATIA

Euro Unit D.O.O. Slakovec 7. 40305 Nedelisce Tel: +38540829400

RUSSIA

Yamaha Music (Russia) LLC.

Room 37, entrance 7, bld. 7, Kievskaya street, Moscow, 121059, Russia Tel: +7-495-626-5005

OTHER EUROPEAN COUNTRIES

Yamaha Music Europe GmbH Siemensstrasse 22-34, 25462 Rellingen, Germany Tel: +49-4101-303-0

AFRICA

Yamaha Music Gulf FZE JAFZA-16, Office 512, P.O.Box 17328, Jebel Ali FZE, Dubai, UAE Tel: +971-4-801-1500

MIDDLE EAST

TURKEY

Yamaha Music Europe GmbH

Yamana Music Europe Ginon Merkezi Almanya Türkiye İstanbul Şubesi Maslak Meydan Sodak, Spring Giz Plaza Bagimsiz Böl. No:3, Sanyer Istanbul, Turkey Tel: +90-212-999-8010

CYPRUS

Nakas Music Cyprus Ltd. Nikis Ave 2k 1086 Nicosia Tel: + 357-22-511080

Major Music Center

21 Ali Riza Ave. Ortakoy P.O.Box 475 Nicosia, Cyprus Tel: (392) 227 9213

OTHER COUNTRIES

JAFZA-16, Office 512, P.O.Box 17328, Jebel Ali FZE, Dubai, UAE Tel: +971-4-801-1500

ASIA

THE PEOPLE'S REPUBLIC OF CHINA

Yamaha Music & Electronics (China) Co., Ltd. 2F, Yunhedasha, 1818 Xinzha-lu, Jingan-qu, Shanghai, China Tel: +86-400-051-7700

HONG KONG

Tom Lee Music Co., Ltd. 11/F., Silvercord Tower 1, 30 Canton Road, Tsimshatsui, Kowloon, Hong Kong Tel: +852-2737-7688

INDIA

Yamaha Music India Private Limited

Spazedge Building, Ground Floor, Tower A, Sector-47, Gurgaon-Sohna Road, Gurgaon-122002, Haryana, India Tel: +91-124-485-3300

INDONESIA

PT. Yamaha Musik Indonesia (Distributor) Yamaha Music Center Bldg. Jalan Jend. Gatot Subroto Kav. 4, Jakarta 12930, Indonesia Tel: +62-21-520-2577

KOREA

Yamaha Music Korea Ltd. 8F, Dongsung Bldg. 21, Teheran-ro 87-gil, Gangnam-gu, Seoul, 135-880, Korea Tel: +82-2-3467-3300

MALAYSIA Yamaha Music (Malaysia) Sdn. Bhd.

No.8, Jalan Perbandaran, Kelana Jaya, 47301 Petaling Jaya, Selangor, Malaysia Tel: +60-3-78030900

SINGAPORE

Yamaha Music (Asia) Private Limited Block 202 Hougang Street 21, #02-00, Singapore 530202, Singapore Tel: +65-6740-9200

TAIWAN

Yamaha Music & Electronics Taiwan Co., Ltd. 2F., No. I, Yuandong Rd. Banqiao Dist. New Taipei City 22063, Taiwan Tel: +886-2-7741-8888

THAILAND

Siam Music Yamaha Co., Ltd. 3, 4, 15, 16th Fl., Siam Motors Building, 891/1 Rama 1 Road, Wangmai, Pathumwan, Bangkok 10330, Thailand Tel: +66-2215-2622

VIETNAM

TELIYAM Yamaha Music Vietnam Company Limited 15th Floor, Nam A Bank Tower, 201-203 Cach Mang Thang Tam St., Ward 4, Dist.3, Ho Chi Minh City, Vietnam Tel: +84-8-3818-1122

OTHER ASIAN COUNTRIES

http://asia.yamaha.com

OCEANIA

AUSTRALIA

Yamaha Music Australia Pty. Ltd. Level 1, 99 Queensbridge Street, Southbank, Vic. 3006, Australia Tel: +61-3-9693-5111

NEW ZEALAND

Music Works LTD P.O.BOX 6246 Wellesley, Auckland 4680, New Zealand

Tel: +64-9-634-0099 COUNTRIES AND TRUST

TERRITORIES IN PACIFIC OCEAN http://asia.yamaha.com

HEAD OFFICE: Yamaha Corporation 10-1, Nakazawa-cho, Naka-ku, Hamamatsu, Japan 430-8650



Yamaha Global Site http://www.yamaha.com/

Yamaha Downloads http://download.yamaha.com/ Manual Development Department © 2016 Yamaha Corporation Published 03/2016 MWZC*.*-**B0

ZS24330

Printed in Indonesia