

**FLANGE**<sup>®</sup>  
**PRO 2**<sup>HD</sup>

"Music is constantly evolving. For over 50 years the way we record, store and access that music has changed as much as the artists and songs themselves. But today's approach to speaker technology is as old as Louis Armstrong's 'What a Wonderful World'.

This is not the same. This is a new way of thinking, a way of thinking that is focused on delivering the purest sound with the smallest of interventions. In order to move forward we have gone back to the very beginning to understand how sound interacts on a molecular level. Welcome to Flare."

**Davies Roberts**  
Flare inventor



The highest quality sound Flare has ever  
produced in an earphone

so far...



# FLATE. TECHNOLOGY

Anti-Resonance  
Technology

Dual Jet  
Technology

Acoustic Lens  
Technology

Further  
Spec

Made from  
rhodium  
plated brass

5.5mm  
beryllium  
drivers

Gold plated  
3.5mm jack  
connector

Gold plated  
MMCX  
professional  
connectors

Molded TPE  
terminals

Oxygen  
free copper  
cable

Reinforced  
cable

Bluetooth®  
wireless  
technology  
and wired  
capabilities


Balanced  
connectivity

# EARFOAMS® Technology

## Audiophile



## Everyday



## Audiophile

---



Focused on delivering the purest sound, our Audiophile Earfoams® are specifically designed for transparency by using Acoustic Lens technology. This projects sound directly into the ear canal resulting in extremely accurate delivery. When the tip is compressed inside the ear, the opening of the tip remains undisturbed creating a clear pathway for all your music.

## Everyday

---



Flare® Everyday Earfoams® let you enjoy high quality audio without having to worry about replacing your Earfoams®. Also built with Acoustic Lens technology, this silicone version is the ultimate in durability yet still provides an immersive audio experience.

## Universal













---



Flare® Universal Earfoams® are made from a more durable, water-based memory foam and are shaped to fit the majority of ears. If comfort is the most important thing, then look no further.


*These Earfoams® can be found inside your Flare® carry case.*




	Sound	Comfort	Durability	Material	Cross Section
Audiophile				Ultra-soft Memory Foam	
Everyday				Silicone	
Universal				Memory Foam	

**1.2.3**  
**Fitting**  
**Instructions**


Push the tip  
on to the  
neck and click  
into place



Leave no gap  
between the  
shoulder of the  
body and the  
base of the tip



Pinch and  
roll the end  
of the tip



**Please Note:**




In order to hear the full frequency range there must be a complete seal in the ear canal. Fit small silicone tips initially to find your correct size; use a larger size if the full frequency range is not achieved. Audiophile tips are extremely delicate and they tear if handled incorrectly.



Pull top of ear up and backwards to open ear canal and push tip deep into ear

Hold in place for 15 seconds to create a perfect seal

To replace the tips, grip the tip and gently and **ease off** the body




#### **Cleaning and Storage:**

To clean your tips, remove from the earphones, wipe with a damp cloth then leave to dry. To clean the housing, remove the tip, hold upside down (tip end pointing towards the floor) and gently remove any wax or dust with a cotton bud. Flare® PRO 2HD are not waterproof; do not rinse or submerge in water or alcohol. Store the earphones in the carry case before and after use.

**Wired &  
Wireless  
Listening**

For wireless listening, plug the left and right (L & R) connectors into the DAC.


Simply clip the DAC module to a piece of clothing close to the ear to allow for a comfortable fit.






For wired listening, plug the left and right (L & R) connectors into the splitter.

Place the 3.5mm jack connector into a device with an AUX port.





## Main control



**On / Off**  
**Play / Pause**  
**Answer / End Call**  
**Voice Control**  
**Reject Call**



### Power On

Press and hold for 2 seconds



### Power Off

Press and hold for 5 seconds



### Play/pause

Single Press while music is playing



### Answer/End Call

Single press while calling



### Reject Call

Hold down for 2 seconds



### Voice Control

Press twice while using mobile device

## Volume control



**Volume**  
**Next**  
**Pair**



### Volume

Press to increase and decrease volume



### Skip track Previous Track

Press and hold while playing music



### Pairing device

Press and hold +/- Volume for 2 seconds

## LED Status

Charge Mode



Low battery



Fully charged



Charging



Flashing blue

Blue (while plugged in)

White (while plugged in)

Pairing Mode

Searching for device



Blue and white flashing

Connecting



White

Connected



Slow white flashing



**Tech  
Spec**

Bluetooth®  
Version 4.1

Includes  
MMCX  
professional  
connectors

12hrs  
playback  
time

2hrs  
charge  
time

15m  
range

150hrs  
standby  
time

HFP HSP  
A2DP  
AVRCP  
APT-X  
compatible

USB to  
Micro USB  
charger  
cable

Lithium-ion  
polymer  
battery

2.4V /  
170mAH  
Rechargeable

48/96KHz  
16-bit

Balanced  
class A-B  
outputs



Register your Flare® PRO 2<sup>HD</sup> online  
for extended warranty.  
See your warranty card for more information

-

Contact Us

[info@flareaudio.com](mailto:info@flareaudio.com)

-

Or for more information and products visit  
[flareaudio.com](http://flareaudio.com)



# **LONG LIVE EARS®**

**European Community Design no.  
004092104-0001**

**International Patent Applications Pending:**

**China 107873134(A); Europe 3281415(A1);  
Japan 2018511273(A); Korea 20170134703(A);  
United States 2018288520(A1).**

**©2017-2019 FLARE AUDIO LIMITED.  
EARFOAMS, LONG LIVE EARS AND FLARE ARE ALL REGISTERED  
TRADEMARKS OF FLARE AUDIO TECHNOLOGIES LIMITED.**

